

Geoworks has replaced Wrekin Geosynthetics, **our geosynthetics products are available at** **Geoworks.eco**

THE PAGE YOU ARE LOOKING FOR CANNOT BE FOUND.

Please use the options below, or contact us if you need help.

FIND YOUR SOLUTION

Unite Manhole Covers

The most robust manhole cover range, packed full of features which combine to give Unite the longest life and lowest whole life cost available.




Unite D400 Gully Grates

Our premium Unite D400 gully grate combines new technology with proven features to deliver a super long-life and



Highway Manhole Covers

Highway is the most comprehensive range on the market with a huge variety of shapes, sizes and options, including our HaloHinge covers, which enable single person lifting.



Highway Gully Grates

The Highway range offers our most extensive variety of gully grates, including three flange, four flange and V gully grates.




Highway D400 Surface Boxes

Our Highway D400 surface boxes come with indexed covers, enlarged frame corners and are 70+ PSRV tested.



Tristar D400 Manhole Covers

Tristar D400 ductile iron access covers fully comply with BS EN 124:2015 and carry the BSI Kitemark. Tristar contains innovative design features that mark it out from the competition.



Tristar Gully Grates

The Tristar range of gully grates are our most competitive range to date. Our straight bar hinged gully grates address many of the most common issues related to cost-effective products.



Tristar Surface Boxes

Our surface boxes are all manufactured from highly durable ductile iron, which offers high strength and light performance in robust enclosures.




SafeSeal Manhole Covers

A15, B125 and C250 manhole covers which all incorporate a single labyrinth seal, helping to prevent odour escapes and water ingress.



Cargo F900 Manhole Covers

Cargo access covers are engineered to endure immense loads, providing a reliable solution for shipping, aviation, and industrial sectors with durability, strength, and dependability.



Ideal for scenarios that require extra-large 400kn manhole covers. Hercules offers a cost-effective alternative to fabricated steel solutions.




Vault D400 Manhole Covers

Exceeds the requirements of LPS 1175 SR3, providing security for valuable communication assets used in the development of smart motorways and the control of matrix signs.



Force D400 Manhole Covers

Round, hinged, robust manhole covers, utilising our unique anti-debris technology to ensure a simple and easy lift every time.



Multigrade

The temporary replacement for stolen or broken gully gratings that's simple, rapid and cost-effective to install.



Connector unit used in a Group 3 location.



Solid top pressed covers

Our solid top steel access covers are available with both a pressed and chequer pattern.



Recessed aluminium trays

High-quality, strong, resistant and recyclable aluminium recessed access covers. Available in 40mm and 60mm depths, they are suitable for outdoor and indoor use, in areas where a superior finish is required.



Recessed trays for block infill

Our steel recessed covers have a sunken steel tray, ideally suited for block paving, screed and other materials to be laid within.




Includes Openreach approved trays.

and forklift traffic operate.

Shallow trays for floor finish


This range of recessed covers is designed to be in-filled with a suitable screed or concrete and are available in a range of clear opening sizes. They feature, as standard, four locking screws, a labyrinth seal, and a neoprene seal.



Concrete filled trays

Our **Openreach approved** covers and frames are suitable for footway developments where replacement covers, or new chamber builds are required.





Contact us

Whether you are looking for live project support, or are in the initial stages of specification, we are always on hand and happy to help.

1. Wrekin Products Ltd is continually seeking to improve our products and therefore reserves the right to alter product specifications without prior notice.
2. It is the responsibility of all users to satisfy themselves the above data is current.
3. Installation details are available in the [knowledge base](#).
4. All Wrekin products are supplied subject to our [Terms and Conditions of Sale](#)

