

## DGK115/HB/KG


H2GO D400 kerb unit 440mm x 305mm clear opening with 150mm frame depth



RANGE	OVERALL FRAME (A X B)	CLEAR OPENING (C X D)	FRAME DEPTH (E)	BASE OPENING (F X G)
H2Go	645 mm x 445 mm	440 mm x 305 mm	150 mm	530 mm x 370 mm

## Key features

- ✓ Reversible hinge allows the grating to hinge with the direction of the traffic flow, improving safety.
- ✓ Captive hinges reduce theft risk whilst allowing easy lifting.
- ✓ Mechanical lifting points are provided.
- ✓ Locked
- ✓ Safety keyway prevents accidental disengagement of the lifting key during the handling process.



## General information

Stock code	DGK115/HB/KG
Primary material	Ductile iron
Range	<u>H2Go</u>
Category	Kerb unit
Flanges	4

## Standards, classes and groupings

Standards	BS EN 124 CD 534
BS EN 124 Class	D400
BS EN 124 Group	3
Third party certified	Kitemark

## Dimensions

Frame shape	Rectangular
Overall frame length (A)	645 mm
Overall frame width (B)	445 mm
Clear opening length (C)	440 mm
Clear opening width (D)	305 mm
Frame depth (E)	150 mm
Base opening length (F)	530 mm

Base opening width (G)

370 mm

## Notes

All values stated are nominal within 2.5% tolerance.

## Accessories

STOCK CODE	PRODUCT NAME	DESCRIPTION
K1GCC/050035	Gully Chute Connector	700mm x 445mm x 190mm
PC/UNIFORM/151076	UniForm	UniForm chamber adjustment unit 760mm x 100mm x 15mm
PC/UNIFORM/151576	UniForm	UniForm chamber adjustment unit 760mm x 150mm x 15mm
PC/UNIFORM/251076	UniForm	UniForm chamber adjustment unit 760mm x 100mm x 25mm
PC/UNIFORM/251576	UniForm	UniForm chamber adjustment unit 760mm x 150mm x 25mm
PC/UNIFORM/451076	UniForm	UniForm chamber adjustment unit 760mm x 100mm x 45mm
PC/UNIFORM/451576	UniForm	UniForm chamber adjustment unit 760mm x 150mm x 45mm
PC/UNIWEDGE/755012	UniForm	UniForm support wedge 120mm x 50mm x 75mm
YPCR/U12.5	UniPak Mortar	12.5Kg UniPak rapid curing polyester resin mortar
YPCR/U25	UniPak Mortar	25Kg UniPak rapid curing polyester resin mortar
SCREWLIFT	ScrewLift	Manhole cover levelling system
GRITBLOCKER	GritBlocker	Anti-blockage keyway insert

1. Wrekin Products Ltd is continually seeking to improve our products and therefore reserves the right to alter product specifications without prior notice.
2. It is the responsibility of all users to satisfy themselves the above data is current.
3. Installation details are available on request.



FM32898

